

Radon Inspection Report

Measurement of Radon Concentration in Indoor Air

Report No.: 2700006010201808301126 Report Generated Date: 8/30/18
 Serial No.: 2700006010

Measurement Address:
 123 Rainbow Road
 Friendlytown , Massachusetts 01234
 USA

Measurement performed by:
 John Smith
 RJ Home Inspections

Ventilation: Natural Building type: House Building year: -

Room	Floor	Measurement Start	Measurement End	Measured Value
Basement	Basement	8/27/18, 1:09 PM	8/29/18, 2:09 PM	0.6 pCi/L

Comments:

Below EPA requirements- no action necessary



 Location August 30, 2018 _____
 Date Signature

Detailed Measurement Data

	Min	Max	Average
Radon [pCi/L]	0.0	7.3	0.6
Temperature [°F]	74.5	82.0	75.6
Humidity [%rH]	67	79	77
Pressure [kPa]	101.29	101.70	101.49

Table of hourly radon measurements for hour 2 to hour 49


Timestamp	Radon values
Hr: 2 - 3:09 PM	3.8
Hr: 3 - 4:09 PM	0.5
Hr: 4 - 5:09 PM	0.5
Hr: 5 - 6:09 PM	0.5
Hr: 6 - 7:09 PM	0.3
Hr: 7 - 8:09 PM	0.3
Hr: 8 - 9:09 PM	0.3
Hr: 9 - 10:09 PM	0.9
Hr: 10 - 11:09 PM	0.0
Hr: 11 - 12:09 AM	0.3
Hr: 12 - 1:09 AM	0.3
Hr: 13 - 2:09 AM	0.6
Hr: 14 - 3:09 AM	0.0
Hr: 15 - 4:09 AM	0.0
Hr: 16 - 5:09 AM	0.7
Hr: 17 - 6:09 AM	0.3
Hr: 18 - 7:09 AM	0.7
Hr: 19 - 8:09 AM	1.0
Hr: 20 - 9:09 AM	0.7
Hr: 21 - 10:09 AM	0.3
Hr: 22 - 11:09 AM	0.3
Hr: 23 - 12:09 PM	1.1
Hr: 24 - 1:09 PM	0.0
Hr: 25 - 2:09 PM	0.3

Timestamp	Radon values
Hr: 26 - 3:09 PM	0.4
Hr: 27 - 4:09 PM	0.0
Hr: 28 - 5:09 PM	0.0
Hr: 29 - 6:09 PM	0.4
Hr: 30 - 7:09 PM	1.7
Hr: 31 - 8:09 PM	1.2
Hr: 32 - 9:09 PM	0.0
Hr: 33 - 10:09 PM	0.4
Hr: 34 - 11:09 PM	0.8
Hr: 35 - 12:09 AM	0.0
Hr: 36 - 1:09 AM	0.0
Hr: 37 - 2:09 AM	0.4
Hr: 38 - 3:09 AM	0.3
Hr: 39 - 4:09 AM	0.0
Hr: 40 - 5:09 AM	0.0
Hr: 41 - 6:09 AM	0.3
Hr: 42 - 7:09 AM	0.0
Hr: 43 - 8:09 AM	0.3
Hr: 44 - 9:09 AM	0.4
Hr: 45 - 10:09 AM	0.0
Hr: 46 - 11:09 AM	1.1
Hr: 47 - 12:09 PM	0.8
Hr: 48 - 1:09 PM	0.3
Hr: 49 - 2:09 PM	1.6


Table of hourly radon measurements for hour 1 to hour 1

Timestamp	Radon values
Hr: 1 - 2:09 PM	7.3

Timestamp	Radon values
-----------	--------------



Radon and Movement Chart



Humidity and Temperature Chart

